



Utilizing Artificial Intelligence for the Diagnosis, Assessment, and Management of Chronic Pain

Habib Zakeri (MD)¹, Mohammad Radmehr (MD)¹, Farnaz Khademi (MSc)¹, Pegah Pedramfard (MD)¹, Leala Montazeri (BSc)¹, Mahshid Ghanaatpisheh (PharmD)¹, Behnam Rahnama (PhD)², Parisa Mahdiyar (MSc)¹, Saba Moalemi (MSc Student)¹, Farnaz Hemati (BSc)¹, Aliasghar Karimi (MD)^{1*}

¹Research Center for Neuromodulation and Pain, NAB Pain Clinic, Shiraz University of Medical Sciences, Shiraz, Iran
²Medis Holding, Shiraz, Iran

ABSTRACT

Chronic pain is a prevalent condition and the leading cause of work absenteeism worldwide. This condition involves persistent pain lasting more than three months, significantly impacting the quality of life and social interactions of patients. While the causes of chronic pain can often remain unknown, no definitive cure exists for the various known causes. Furthermore, the evaluation and prediction of pain can be challenging, particularly in unconscious patients receiving care in the intensive care unit. Subjective measures and traditional methods are typically employed for diagnosis, assessment, and treatment to identify the most effective approach. However, recent advancements in Artificial Intelligence (AI) and other computer science fields have revolutionized the medical domain, offering a novel and promising avenue for enhancing pain management. This review provides an overview of the potential benefits, limitations, and prospects associated with the role of AI in the diagnosis, assessment, and management of chronic pain.

Keywords

Artificial Intelligence; Machine Learning; Artificial Neural Networks; Deep Learning; Pain Management; Pain Assessment

Introduction

The potential ability of Artificial Intelligence (AI) in medicine has become recently increasingly prominent to enhance the precision and effectiveness of diagnosis and treatment in various fields of medicine [1-3].

Chronic pain has a significant negative impact on the quality of life and social activities of the patients [4, 5]. Improving patient outcomes needs accurate diagnosis, comprehensive assessment, and effective management [6].

Pain research has extensively used AI and Machine Learning (ML) techniques to develop algorithms to assess and control pain effectively [7]. Advanced technologies have shown a remarkable level of agreement with on-site assessments performed by medical professionals and brought notable benefits in terms of consistency, repeatability, efficiency, and cost-effectiveness [8]. AI learns from experience, which treatment modalities best improve outcomes while conserving the clinician's time,

*Corresponding author:
Aliasghar Karimi
Research Center for Neuromodulation and Pain,
NAB Pain Clinic, Shiraz University of Medical Sciences,
Shiraz, Iran
E-mail: dr.aliasgharkarimi@gmail.com

Received: 10 June 2023
Accepted: 10 November 2023

potentially improving patient outcomes, and reducing the burden on the healthcare system. Additionally, these approaches may be more affordable and accessible than human-based interventions, making them more feasible for all healthcare organizations [9]. The use of AI in chronic pain management is an exciting development that holds great promise for the future of healthcare [2, 10]. In this review, we explore the clinical application of AI models to diagnose, assess, and manage chronic pain disorders, their limitations, and challenges, and future direction.

AI-Based Diagnosis of Pain Disorders

AI helps clinicians understand the primary cause and final diagnosis by analyzing vast amounts of patient data, including medical records, imaging studies, and genetic information [11]. Additionally, ML algorithms can identify patterns and risk factors associated with chronic pain [12, 13], such as low back pain, a prevalent condition that often requires Magnetic Resonance Imaging (MRI) for accurate diagnosis [14-16]. However, early diagnosis can be challenging [16]. Sojin *et al.* demonstrated that AI can assist in decision-making for spinal pain, with software-generated diagnoses using patient data with a 72% accuracy rate [17].

The potential of AI in exploring the automatic detection, classification, and location of spinal diseases, is immense. With the ability to analyze large amounts of data quickly and accurately, AI can transform the way spinal diseases are diagnosed and treated, leading to better patient outcomes [17-21].

However, it is crucial to carefully select an appropriate AI model that possesses acceptable validity when it comes to assisting in clinical diagnosis [11]. The values of accuracy, sensitivity, and specificity may not reflect the behavior of the method in a real-world environment. Therefore, careful consideration and validation are necessary before imple-

menting AI in clinical practice [22].

AI-based diagnosis of pain disorders has the potential to improve patient outcomes and revolutionize the healthcare industry. However, it is essential to ensure that AI models are appropriately validated and integrated into clinical practice to ensure their efficacy and safety [13, 23, 24].

Artificial Neural Networks (ANNs) have emerged as powerful tools for diagnosing and predicting the severity of painful conditions based on medical imaging [24-26]. The ANNs form the fundamental framework of DL algorithms and have exhibited promising outcomes in the identification of early signs of knee osteoarthritis using X-ray images. This advancement has the potential to revolutionize the diagnostic and treatment approaches for this debilitating condition [24].

ANNs coupled with MR image processing have significantly reduced radiologists' workload and improved diagnoses' accuracy. These algorithms can detect subtle changes in anatomy associated with diseases, such as spinal conditions, much faster and more accurately than a human radiologist [27, 28].

Additionally, ANNs can analyze large patient datasets to identify potential correlations between symptoms, diagnose conditions, and ultimately predict the most suitable treatment options for each patient, resulting in improved patient outcomes by ensuring that they receive the most effective and timely treatment [29, 30].

Besides their application in diagnosing pain conditions, ANNs have also demonstrated effectiveness in predicting the risk of multiple co-occurring symptoms, such as pain, depression, and lack of well-being, within a specific timeframe. This capability can be particularly valuable in proactive symptom management, enabling healthcare providers to intervene, before escalating symptoms to severe and debilitating levels. Consequently, utilizing ANNs in this manner has the potential to enhance patient outcomes [30].

ANNs have been helpful in diagnosing facial pain syndromes, such as trigeminal neuralgia, and also in predicting the success rate of interventions [31, 32]. Also, DL develops spontaneous pain indicators and evaluates the efficacy of analgesics in real-time. ANNs have also classified pathological pain into either neuropathic or nociceptive subtypes. This has the potential to improve the accuracy of pain diagnosis and lead to more effective treatments [29, 33].

ANNs have displayed promising potential in pain diagnosis and management. Through ongoing research and development in this field, there is a strong possibility of achieving substantial enhancements in patient outcomes and overall quality of life. The continued exploration of ANNs' capabilities in pain-related applications holds great promise for advancing the field and improving the well-being of individuals suffering from pain conditions [34].

Regression models are a set of methods that utilize ML algorithms to automatically detect patterns and predict outcomes based on input data [35]. In the context of pain research, regression models have the potential to help the diagnosis, classification, and management of pain [36, 37]. These models can predict pain occurrence, probability, volatility, and management response via a logistic regression model. Regression models rely on large and diverse datasets to effectively train the ML algorithms and can analyze various types of data, such as patient demographics, medical history, pain symptoms, and treatment outcomes. The ability of regression models to analyze patient data leads to offering personalized and adaptive pain management strategies, resulting in their primary advantages [36, 38].

Several studies have demonstrated the potential of regression models in pain research [37-41], with successful predictions of imaging no-shows, pain severity in patients with primary Sjögren syndrome [39] or juvenile idiopathic arthritis [40], and postoperative discomfort following implant surgery [37].

However, these models have their limitations, requiring large and diverse datasets to be effective, and incomplete or biased data may lead to inaccurate predictions. Additionally, AI regression models cannot capture the complexity of pain experiences, such as the subjective nature of pain perception [41].

Natural Language Processing (NLP) is increasingly used in pain diagnosis to capture relevant information from verbal descriptions of chronic pain and extract and process textual features for various tasks related to pain diagnosis [42]. These techniques have been applied to transcribe verbal descriptions of chronic pain to capture relevant information that would otherwise not be accessible [42, 43].

A pain lexicon was developed to assist in subsequent NLP tasks and employed to extract information from longitudinal clinical records for pain status monitoring and the identification of new pain phenotypes [44]. As an example, recent studies showed NLP and ML can accurately classify migraine headaches versus cluster headaches [45, 46]. This technology can improve the accuracy of diagnoses and reduce the risk of misdiagnosis, leading to better patient outcomes [47].

AI-Based Pain Assessment

Clinicians face challenges in assessing chronic pain due to the absence of a specific device or method to objectively measure pain severity. Instead, healthcare providers rely on patient self-reporting as the primary means of assessing pain intensity [48]. Nevertheless, the integration of data from wearable devices, electronic health records, and mobile applications into AI algorithms holds the potential to enhance pain assessment and facilitate the development of personalized treatment plans. This technology can effectively predict and detect various types of pain by analyzing patients' physiological data [49, 50].

Physiological data-based pain estimation models have primarily focused on

identifying the presence or absence of pain rather than exploring the pain features used for diagnosis and treatment [51-53]. However, there is a potential for non-invasive and objective pain measurements through biosensors coupled with ML algorithms. Traditional medical devices, such as electrocardiographs, pulse plethysmographs, electroencephalographs, thermometers, and vital sign monitoring systems, can measure physiological data for pain estimation models [52, 54, 55]. Additionally, AI-based devices can sense motion signals, eye movements, facial expressions, and skin conductance to detect pain status in healthy subjects and quantify acute and chronic pain using ML algorithms [54-56].

Different ML models, such as ANNs, linear regression, support vector regression, Support Vector Machines (SVMs), random forest, adaptive boosting, and extreme gradient boosting, are built using extracted features. However, studies showed SVM and DL are more accurate models for the classification of pain [57, 58]. Probabilistic models, such as Gaussian Naive Bayes (GNB) classifiers and hidden Markov models (HMMs), can help clinicians assess pain levels with patient self-reports by analyzing physiological information from individuals with chronic pain, including respiration rate, pulse rate, oxygen level, body temperature, and blood pressure [59].

On the other hand, using physiological data for pain assessment has limitations due to the variability of pain perception among individuals [51]. Furthermore, pain often occurs in settings where it may be difficult to collect physiological data. Wearable devices and mobile applications help overcome this challenge, but patients may be hesitant to share personal health information, and data collection methods must be transparent and secure [49, 60]. Thus, careful study design and collaboration across disciplines are necessary to address these challenges [13].

AI-Based Pain Management

AI has the potential to optimize treatment plans and improve therapeutic outcomes and can analyze large datasets containing patient information, treatment responses, and outcomes to identify patterns and optimize treatment recommendations [13]. Moreover, AI-based decision-making support systems can assist healthcare providers in making informed decisions regarding pain management. These systems can analyze patient data, clinical guidelines, and medical literature to provide evidence-based recommendations for treatment options, such as medication dosages and potential interactions, improving the quality and safety of pain interventions [61].

AI-based interventions can also personalize treatment plans based on patient needs, recognizing exercises for self-management of low back pain for instance. Reinforcement learning algorithms can be used to develop personalized Cognitive-Behavioral Therapy (CBT) for pain management services that automatically adapt to each patient's unique and changing needs [61-64]. In addition, personalizing CBT interventions increases access and reduces costs for patients [13, 62, 65]. AI-supported psychotherapy can target services based on patient feedback, and pain treatment becomes increasingly effective as it interacts with patients [64].

Moreover, AI-powered tools, such as Virtual Reality (VR) and mobile applications, can play a significant role in delivering personalized interventions, including CBT, physical therapy exercises, and medication adherence support. These technologies have the capability to differentiate between healthy individuals and patients, enabling more efficient allocation of clinical resources and increased accessibility to effective pain management services [63, 66, 67].

Furthermore, AI and ML algorithms are being integrated into VR therapy systems to provide an immersive and individualized pain management experience. These systems can

dynamically adjust VR environments and stimuli based on real-time patient data, such as pain intensity and emotional state, to optimize pain relief and enhance the overall therapeutic effect [66].

Integrating ML-based pain management interventions into existing clinical workflows can be achieved by using a user-centered design approach to address real-world clinical pain points and configuring them in a clinically actionable way. The user-centered design toolkit consists of four questions covering solvable pain points, the unique value of ML, the actionability pathway, and the model's reward function [68]. These models are also being developed to identify patients who require more attention and calibrated follow-up programs in telemedicine-based cancer pain management [65].

Common Machine Learning (ML) methods utilized in pain interventions encompass Logistic Regression, Regularized Logistic Regression, Naive Bayes Classifier, Artificial Neural Networks (ANNs), Random Forest, and Gradient-Boosted Trees. The effectiveness of these ML algorithms is closely tied to factors, such as the volume of processed information, optimization of hyper-parameters, and the specific class of algorithms employed. By appropriately managing these elements, ML techniques can significantly contribute to improving pain interventions and optimizing patient outcomes [69, 70].

It is important to note that while these examples showcase the potential of ML and AI in pain treatment, their implementation and efficacy may vary depending on specific applications and healthcare settings.

Table 1 summarizes the common applications of AI models in specific pain conditions.

Discussion

Limitations and Challenges

Although, AI exhibits promising potential in managing chronic pain, it presents limitations

and challenges. The use of AI in pain management increases ethical concerns, including the preference of some patients for human interaction over AI-based interventions, potentially leading to dehumanization [82]. There are also concerns regarding the reliability and validity of AI-based approaches to replace human interaction and empathy in pain management [82].

Moreover, AI algorithms have bias, leading to inaccurate pain assessment and treatment. Therefore, large-scale clinical trials are required to examine the efficacy of these methods on a larger cohort and over a longer period [13].

Moreover, the collection and analysis of sensitive patient information by AI systems raise concerns regarding privacy and data security. The development and utilization of AI-based interventions for pain management necessitate transparency and accountability to safeguard the safety, effectiveness, and equitable application of these technologies for all patients [83]. It requires a lot of data from the individuals, including physiological and behavioral pain response profiles while data collection is difficult due to limited resources and patient privacy concerns [8].

Healthcare providers and policymakers must also consider the potential impact of AI on healthcare costs and access to care, particularly for vulnerable populations. Implementing personalized ML-based pain management interventions in clinical settings can be challenging due to several reasons [84, 85].

Furthermore, the lack of standardization in the utilization of ML algorithms for pain management poses challenges in comparing results across studies and implementing personalized interventions in clinical settings [13]. Furthermore, the majority of the studies that used ML have investigated small sample sizes as a pilot study; accordingly, this issue raises concerns about the generalizability of the findings to larger populations [13, 17].

Finally, integrating ML-based pain manage-

Table 1: The applications of Artificial Intelligence (AI) models in specific pain conditions.

Application	AI models	Conditions
Diagnosis	NNs	Low back pain [27] Post-operative pain [71]
	CNN	Scoliosis [21] Vertebral fracture [20]
	SVM	Low back pain [27] Degenerative disc disease [72] Post-operative pain [71]
	Decision tree	Low back pain [27] Chronic spinal pain [17]
	Random Forests	Low back pain [27] Knee pain [73] Fibromyalgia [74]
	Deep Learning methods	Knee osteoarthritis [24]
	ANNs	Lumbar spine osteoarthritis [26] Facial pain syndromes [32]
	Gradient-Boosted trees	Knee pain [73]
	Extreme Gradient Boosting	Knee pain [73]
	Naïve Bayes Classifier	Dental pain [75]
	NLP	Headache [42]
Assessment	Probabilistic models	Sickle cell disease [59]
	SVM	Low back pain [76, 77] Musculoskeletal pain [78]
	ANNs	Low back pain [79]
	Naïve Bayes	Low back pain [77]
	Random Forest	Low back pain [77] Musculoskeletal pain [78]
	Gradient-Boosted trees	Musculoskeletal pain [78]
	Decision tree	Musculoskeletal pain [78]
	Regression models	Musculoskeletal neck pain [38]
Management	Random Forest	Cancer pain [65] Post-surgical pain [80]
	ANN	Cancer pain [65] Efficiency of spinal cord stimulation in post spinal surgery pain [69]
	SVM	Pharmacologic response [81]
	Reinforcement learning	CBT in chronic back pain [64]
	Gradient-Boosted Machine	Cancer pain [65] Post-surgical pain [80] Efficiency of spinal-cord stimulation in post spinal surgery pain [69]
	Naïve Bayes classifier	Efficiency of spinal-cord stimulation in post spinal surgery pain [69]

AI: Artificial Intelligence, NNs: Neural Networks, CNN: Convolutional Neural Network, SVMs: Support Vector Machines, ANNs: Artificial Neural Networks, NLP: Natural Language Processing, CBT: Cognitive Behavioral Therapy

ment interventions into clinical workflow can be challenging due to the need for specialized software and hardware and also training healthcare professionals to use these tools efficiently [7, 12].

Addressing these challenges requires collaboration between researchers, healthcare professionals, and patients to develop standardized approaches for collecting and analyzing data and guidelines for implementing personalized ML-based pain management interventions in clinical settings. As AI-based interventions for pain management continue to advance, it is crucial to prioritize patient-centered care and ensure that these interventions are safe, effective, and equitable for all individuals.

Future Directions

The integration of AI into chronic pain management is still in its early stages, and further research and development are necessary. In the future, it is crucial to refine AI algorithms through larger and more diverse datasets and establish ethical guidelines for the use of this technology in pain management. Also, effective educational strategies should be implemented for training healthcare professionals in AI-enabled practices [11, 36, 86].

Moreover, integrating AI with other emerging technologies has the potential to revolutionize pain management by combining advanced technologies with remote patient care, enabling real-time assessment, personalized interventions, and improved patient engagement. By leveraging the power of AI algorithms with telerobotic systems, healthcare providers can deliver efficient, patient-centered care, regardless of geographical barriers [87-89].

Although challenges exist, ongoing research and development in this field hold the promise of transforming pain management and enhancing the quality of life for individuals living with pain.

Conclusion

AI has the potential to revolutionize the diagnosis, assessment, and management of chronic pain.

However, challenges and limitations must be addressed to ensure efficacious implementation. Continued research and development are essential to maximize the benefits of AI in pain management.

Most reports are pilot studies and more pilot studies with physiological pain measures are required before these approaches are ready for large clinical trials. Additionally, AI-based interventions may not be suitable for all patients, and some patients may prefer human interaction over this technology.

Finally, more research and development are crucial to further refine and expand the role of this emerging technology in pain management. Addressing the limitations and challenges associated with AI implementation is necessary to ensure successful integration into clinical practice. This technology has the potential to transform pain management, but careful consideration must be given to ethics, safety, and efficacy.

Authors' Contribution

H. Zakeri contributed to the conceptualization and study design; M. Radmehr, F. Khademi, L. Montazeri, M. Ghanaatpisheh, B. Rahnama, P. Mahdiyar, S. Moalemi, and F. Hemati contributed in finding and choosing relevant studies; A. Karimi contributed in preparing the primary draft; P. Pedramfard revised the manuscript. All authors read and approved the final manuscript.

Conflict of Interest

None

References

1. Ahuja AS. The impact of artificial intelligence in medicine on the future role of the physician. *PeerJ*. 2019;7:e7702. doi: 10.7717/peerj.7702. PubMed PMID: 31592346. PubMed PMCID: PMC6779111.
2. Bhattad PB, Jain V. Artificial intelligence in mod-

- ern medicine - The evolving necessity of the present and role in transforming the future of medical care. *Cureus*. 2020;**12**(5):e8041. doi: 10.7759/cureus.8041. PubMed PMID: 32528777. PubMed PMID: PMC7282357.
3. Karimi A, HaddadPajouh H. Artificial intelligence, important assistant of scientists and physicians. *Galen Med J*. 2020;**9**:e2048. doi: 10.31661/gmj.v9i0.2048. PubMed PMID: 34466625. PubMed PMID: PMC8343766.
 4. Hadi MA, McHugh GA, Closs SJ. Impact of chronic pain on patients' quality of life: A comparative mixed-methods study. *J Patient Exp*. 2019;**6**(2):133-41. doi: 10.1177/2374373518786013. PubMed PMID: 31218259. PubMed PMID: PMC6558939.
 5. Yazdani A, Soroushfard Z, Nasiri A, Akbarimehr H, Bagheri JS, Fathidoulabi Z. Musculoskeletal pain and quality of life among office workers based on pain management and exercise therapy: A recommendation. *Journal of Pain Management*. 2022;**15**(3):243-6.
 6. Connor L, Dean J, McNett M, Tydings DM, Shrout A, Gorsuch PF, et al. Evidence-based practice improves patient outcomes and healthcare system return on investment: Findings from a scoping review. *Worldviews Evid Based Nurs*. 2023;**20**(1):6-15. doi: 10.1111/wvn.12621. PubMed PMID: 36751881.
 7. Lotsch J, Ultsch A, Mayer B, Kringel D. Artificial intelligence and machine learning in pain research: a data scientometric analysis. *Pain Rep*. 2022;**7**(6):e1044. doi: 10.1097/PR9.0000000000001044. PubMed PMID: 36348668. PubMed PMID: PMC9635040.
 8. Matsangidou M, Liampas A, Pittara M, Pattichi CS, Zis P. Machine learning in pain medicine: An up-to-date systematic review. *Pain Ther*. 2021;**10**(2):1067-84. doi: 10.1007/s40122-021-00324-2. PubMed PMID: 34568998. PubMed PMID: PMC8586126.
 9. Manne R, Kantheti SC. Application of artificial intelligence in healthcare: chances and challenges. *Curr J Appl Sci Technol*. 2021;**40**(6):78-89.
 10. Gutierrez L, Lim JS, Foo LL, Ng WY, Yip M, Lim GYS, et al. Application of artificial intelligence in cataract management: current and future directions. *Eye Vis (Lond)*. 2022;**9**(1):3. doi: 10.1186/s40662-021-00273-z. PubMed PMID: 34996524. PubMed PMID: PMC8739505.
 11. Kumar Y, Koul A, Singla R, Ijaz MF. Artificial intelligence in disease diagnosis: a systematic literature review, synthesizing framework and future research agenda. *J Ambient Intell Humaniz Comput*. 2023;**14**(7):8459-86 doi: 10.1007/s12652-021-03612-z. PubMed PMID: 35039756. PubMed PMID: PMC8754556.
 12. Kunze KN, Krivicich LM, Clapp IM, Bodendorfer BM, Nwachukwu BU, Chahla J, et al. Machine learning algorithms predict achievement of clinically significant outcomes after orthopaedic surgery: A systematic review. *Arthroscopy*. 2022;**38**(6):2090-105. doi: 10.1016/j.arthro.2021.12.030. PubMed PMID: 34968653.
 13. Zhang M, Zhu L, Lin SY, Herr K, Chi CL, Demir I, et al. Using artificial intelligence to improve pain assessment and pain management: a scoping review. *J Am Med Inform Assoc*. 2023;**30**(3):570-87. doi: 10.1093/jamia/ocac231. PubMed PMID: 36458955. PubMed PMID: PMC9933069.
 14. Farjam M, Askari A, Hoseinipour A, Homayounfar R, Jamshidi J, Khodabakhshi F, et al. A cohort study protocol of low back pain in rural area inhabitants: Fasa Low Back Pain Cohort Study (FABPACS). *Galen Med J*. 2016;**5**(4):225-29. doi: 10.31661/gmj.v5i4.786.
 15. Fujii K, Yamazaki M, Kang JD, Risbud MV, Cho SK, Qureshi SA, et al. Discogenic back pain: Literature review of definition, diagnosis, and treatment. *JBMR Plus*. 2019;**3**(5):e10180. doi: 10.1002/jbm4.10180. PubMed PMID: 31131347. PubMed PMID: PMC6524679.
 16. Kim LH, Vail D, Azad TD, Bentley JP, Zhang Y, Ho AL, et al. Expenditures and health care utilization among adults with newly diagnosed low back and lower extremity pain. *JAMA Netw Open*. 2019;**2**(5):e193676. doi: 10.1001/jamanetworkopen.2019.3676. PubMed PMID: 31074820. PubMed PMID: PMC6512284.
 17. Soın A, Hirschbeck M, Verdon M, Manchikanti L. A Pilot Study Implementing a Machine Learning Algorithm to Use Artificial Intelligence to Diagnose Spinal Conditions. *Pain Physician*. 2022;**25**(2):171-8. PubMed PMID: 35322974.
 18. Azimi P, Yazdani T, Benzel EC, Aghaei HN, Azhari S, Sadeghi S, et al. A review on the use of artificial intelligence in spinal diseases. *Asian Spine J*. 2020;**14**(4):543-71. doi: 10.31616/asj.2020.0147. PubMed PMID: 32326672. PubMed PMID: PMC7435304.
 19. Das S, Sanyal MK, Datta D. Artificial intelligent embedded doctor (aiedr.): A prospect of low back pain diagnosis. *International Journal of Big Data and Analytics in Healthcare (IJBDAH)*. 2019;**4**(2):34-56. doi: 10.4018/IJBDAH.2019070103.
 20. Murata K, Endo K, Aihara T, Suzuki H, Sawaji Y, Matsuoka Y, et al. Artificial intelligence for the detection of vertebral fractures on plain spinal radiography. *Sci Rep*. 2020;**10**(1):20031. doi: 10.1038/s41598-020-76866-w. PubMed PMID: 33208824.

- PubMed PMID: PMC7674499.
21. Watanabe K, Aoki Y, Matsumoto M. An application of artificial intelligence to diagnostic imaging of spine disease: Estimating spinal alignment from moire images. *Neurospine*. 2019;**16**(4):697-702. doi: 10.14245/ns.1938426.213. PubMed PMID: 31905459. PubMed PMID: PMC6945007.
 22. Hirosawa T, Harada Y, Yokose M, Sakamoto T, Kawamura R, Shimizu T. Diagnostic accuracy of differential-diagnosis lists generated by generative pretrained transformer 3 chatbot for clinical vignettes with common chief complaints: A pilot study. *Int J Environ Res Public Health*. 2023;**20**(4):3378. doi: 10.3390/ijerph20043378. PubMed PMID: 36834073. PubMed PMID: PMC9967747.
 23. Collins GS, Dhiman P, Andaur Navarro CL, Ma J, Hooft L, Reitsma JB, et al. Protocol for development of a reporting guideline (TRIPOD-AI) and risk of bias tool (PROBAST-AI) for diagnostic and prognostic prediction model studies based on artificial intelligence. *BMJ Open*. 2021;**11**(7):e048008. doi: 10.1136/bmjopen-2020-048008. PubMed PMID: 34244270. PubMed PMID: PMC8273461.
 24. Tiwari A, Poduval M, Bagaria V. Evaluation of artificial intelligence models for osteoarthritis of the knee using deep learning algorithms for orthopedic radiographs. *World J Orthop*. 2022;**13**(6):603-14. doi: 10.5312/wjo.v13.i6.603. PubMed PMID: 35949704. PubMed PMID: PMC9244962.
 25. Haeri M, Asemani D, Gharibzadeh S. Modeling of pain using artificial neural networks. *J Theor Biol*. 2003;**220**(3):277-84. doi: 10.1006/jtbi.2003.3130. PubMed PMID: 12468280.
 26. Veronezi CCD, Simões PWTDA, Santos RLD, Rocha ELD, Melão S, Mattos MCD, et al. Computational analysis based on artificial neural networks for aiding in diagnosing osteoarthritis of the lumbar spine. *Rev Bras Ortop*. 2015;**46**(2):195-9. doi: 10.1016/S2255-4971(15)30239-1. PubMed PMID: 27027010. PubMed PMID: PMC4799207.
 27. D'Antoni F, Russo F, Ambrosio L, Bacco L, Vollero L, Vadala G, et al. Artificial intelligence and computer aided diagnosis in chronic low back pain: A systematic review. *Int J Environ Res Public Health*. 2022;**19**(10):5971. doi: 10.3390/ijerph19105971. PubMed PMID: 35627508. PubMed PMID: PMC9141006.
 28. Martin-Noguerol T, Onate Miranda M, Amrhein TJ, Paulano-Godino F, Xiberta P, Vilanova JC, et al. The role of Artificial intelligence in the assessment of the spine and spinal cord. *Eur J Radiol*. 2023;**161**:110726. doi: 10.1016/j.ejrad.2023.110726. PubMed PMID: 36758280.
 29. Shahid N, Rappon T, Berta W. Applications of artificial neural networks in health care organizational decision-making: A scoping review. *PLoS One*. 2019;**14**(2):e0212356. doi: 10.1371/journal.pone.0212356. PubMed PMID: 30779785. PubMed PMID: PMC6380578.
 30. Xuyi W, Seow H, Sutradhar R. Artificial neural networks for simultaneously predicting the risk of multiple co-occurring symptoms among patients with cancer. *Cancer Med*. 2021;**10**(3):989-98. doi: 10.1002/cam4.3685. PubMed PMID: 33350595. PubMed PMID: PMC7897969.
 31. Hao W, Cong C, Yuanfeng D, Ding W, Li J, Yongfeng S, et al. Multidata analysis based on an artificial neural network model for long-term pain outcome and key predictors of microvascular decompression in trigeminal neuralgia. *World Neurosurg*. 2022;**164**:e271-9. doi: 10.1016/j.wneu.2022.04.089. PubMed PMID: 35490890.
 32. McCartney S, Weltin M, Burchiel KJ. Use of an artificial neural network for diagnosis of facial pain syndromes: an update. *Stereotact Funct Neurosurg*. 2014;**92**(1):44-52. doi: 10.1159/000353188. PubMed PMID: 24217113.
 33. Yoon H, Bak MS, Kim SH, Lee JH, Chung G, Kim SJ, et al. Development of a spontaneous pain indicator based on brain cellular calcium using deep learning. *Exp Mol Med*. 2022;**54**(8):1179-87. doi: 10.1038/s12276-022-00828-7. PubMed PMID: 35982300. PubMed PMID: PMC9385425.
 34. Khan O, Badhiwala JH, Witiw CD, Wilson JR, Fehlings MG. Machine learning algorithms for prediction of health-related quality-of-life after surgery for mild degenerative cervical myelopathy. *Spine J*. 2021;**21**(10):1659-69. doi: 10.1016/j.spinee.2020.02.003. PubMed PMID: 32045708.
 35. Harvey HB, Liu C, Ai J, Jaworsky C, Guerrier CE, Flores E, et al. Predicting no-shows in radiology using regression modeling of data available in the electronic medical record. *J Am Coll Radiol*. 2017;**14**(10):1303-9. doi: 10.1016/j.jacr.2017.05.007. PubMed PMID: 28673777.
 36. Gyftopoulos S, Lin D, Knoll F, Doshi AM, Rodrigues TC, Recht MP. Artificial intelligence in musculoskeletal imaging: Current status and future directions. *AJR Am J Roentgenol*. 2019;**213**(3):506-13. doi: 10.2214/AJR.19.21117. PubMed PMID: 31166761. PubMed PMID: PMC6706287.
 37. Yadalam PK, Trivedi SS, Krishnamurthi I, Anegundi RV, Mathew A, Al Shayeb M, et al. Machine Learning predicts patient tangible outcomes after dental implant surgery. *IEEE Access*. 2022;**10**:131481-8. doi: 10.1109/ACCESS.2022.3228793.
 38. Grimby-Ekman A, Andersson EM, Hagberg M.

- Analyzing musculoskeletal neck pain, measured as present pain and periods of pain, with three different regression models: a cohort study. *BMC Musculoskelet Disord.* 2009;**10**:1-11. doi: 10.1186/1471-2474-10-73. PubMed PMID: 19545386. PubMed PMID: PMC2714495.
39. Segal BM, Pogatchnik B, Rhodus N, Siv-ils KM, McElvain G, Solid CA. Pain in primary Sjogren's syndrome: the role of catastrophizing and negative illness perceptions. *Scand J Rheumatol.* 2014;**43**(3):234-41. doi: 10.3109/03009742.2013.846409. PubMed PMID: 24392761.
 40. Hanns L, Cordingley L, Galloway J, Norton S, Carvalho LA, Christie D, et al. Depressive symptoms, pain and disability for adolescent patients with juvenile idiopathic arthritis: results from the Childhood Arthritis Prospective Study. *Rheumatology (Oxford).* 2018;**57**(8):1381-9. doi: 10.1093/rheumatology/key088. PubMed PMID: 29697850. PubMed PMID: PMC6055569.
 41. Joergensen AC, Hestbaek L, Andersen PK, Nybo Andersen A-M. Epidemiology of spinal pain in children: a study within the Danish National Birth Cohort. *Eur J Pediatr.* 2019;**178**(5):695-706. doi: 10.1007/s00431-019-03326-7. PubMed PMID: 30788593. PubMed PMID: PMC6459805.
 42. Katsuki M, Narita N, Matsumori Y, Ishida N, Watanabe O, Cai S, et al. Preliminary development of a deep learning-based automated primary headache diagnosis model using Japanese natural language processing of medical questionnaire. *Surg Neurol Int.* 2020;**11**:475. doi: 10.25259/SNI_827_2020. PubMed PMID: 33500813. PubMed PMID: PMC7827501.
 43. Dreisbach C, Koleck TA, Bourne PE, Bakken S. A systematic review of natural language processing and text mining of symptoms from electronic patient-authored text data. *Int J Med Inform.* 2019;**125**:37-46. doi: 10.1016/j.ijmedinf.2019.02.008. PubMed PMID: 30914179. PubMed PMID: PMC6438188.
 44. Shwartz V, Dagan I. Still a pain in the neck: Evaluating text representations on lexical composition. *Trans Assoc Comput Linguist.* 2019;**7**:403-19. doi: 10.1162/tacl_a_00277.
 45. Kwon J, Lee H, Cho S, Chung CS, Lee MJ, Park H. Machine learning-based automated classification of headache disorders using patient-reported questionnaires. *Sci Rep.* 2020;**10**(1):14062. doi: 10.1038/s41598-020-70992-1. PubMed PMID: 32820214. PubMed PMID: PMC7441379.
 46. Vandenbussche N, Van Hee C, Hoste V, Paemeleire K. Using natural language processing to automatically classify written self-reported narratives by patients with migraine or cluster headache. *J Headache Pain.* 2022;**23**(1):129. doi: 10.1186/s10194-022-01490-0. PubMed PMID: 36180844. PubMed PMID: PMC9524092.
 47. Daripa B, Lucchese S. Artificial intelligence-aided headache classification based on a set of questionnaires: A short review. *Cureus.* 2022;**14**(9):e29514. doi: 10.7759/cureus.29514. PubMed PMID: 36299975. PubMed PMID: PMC9588408.
 48. Herr K, Coyne PJ, Ely E, Gelinas C, Manworren RCB. Pain assessment in the patient unable to self-report: Clinical practice recommendations in support of the ASPMN 2019 position statement. *Pain Manag Nurs.* 2019;**20**(5):404-17. doi: 10.1016/j.pmn.2019.07.005. PubMed PMID: 31610992.
 49. Dinh-Le C, Chuang R, Chokshi S, Mann D. Wearable health technology and electronic health record integration: scoping review and future directions. *JMIR Mhealth Uhealth.* 2019;**7**(9):e12861. doi: 10.2196/12861. PubMed PMID: 31512582. PubMed PMID: PMC6746089.
 50. Melstrom LG, Rodin AS, Rossi LA, Fu P, Jr., Fong Y, Sun V. Patient generated health data and electronic health record integration in oncologic surgery: A call for artificial intelligence and machine learning. *J Surg Oncol.* 2021;**123**(1):52-60. doi: 10.1002/jso.26232. PubMed PMID: 32974930. PubMed PMID: PMC7945992.
 51. Berger SE, Baria AT. Assessing pain research: A narrative review of emerging pain methods, their technosocial implications, and opportunities for multidisciplinary approaches. *Front Pain Res (Lausanne).* 2022;**3**:896276. doi: 10.3389/fpain.2022.896276. PubMed PMID: 35721658. PubMed PMID: PMC9201034.
 52. Lotsch J, Ultsch A. Machine learning in pain research. *Pain.* 2018;**159**(4):623-30. doi: 10.1097/j.pain.0000000000001118. PubMed PMID: 29194126. PubMed PMID: PMC5895117.
 53. Nagireddi JN, Vyas AK, Sanapati MR, Soin A, Manchikanti L. The Analysis of Pain Research through the Lens of Artificial Intelligence and Machine Learning. *Pain Physician.* 2022;**25**(2):E211-43. PubMed PMID: 35322975.
 54. Lin Y, Xiao Y, Wang L, Guo Y, Zhu W, Dalip B, et al. Experimental exploration of objective human pain assessment using multimodal sensing signals. *Front Neurosci.* 2022;**16**:831627. doi: 10.3389/fnins.2022.831627. PubMed PMID: 35221908. PubMed PMID: PMC8874020.
 55. Winslow BD, Kwasinski R, Whirlow K, Mills E, Hullfish J, Carroll M. Automatic detection of pain using machine learning. *Front Pain Res (Lausanne).* 2022;**3**:1044518. doi: 10.3389/

- fpain.2022.1044518. PubMed PMID: 36438448. PubMed PMCID: PMC9686002.
56. Leong SC, Tang YM, Lai CH, Lee C. Facial expression and body gesture emotion recognition: A systematic review on the use of visual data in affective computing. *Comput Sci Rev.* 2023;**48**:100545. doi: 10.1016/j.cosrev.2023.100545.
 57. Gouverneur P, Li F, Adamczyk WM, Szikszay TM, Luedtke K, Grzegorzec M. Comparison of feature extraction methods for physiological signals for heat-based pain recognition. *Sensors (Basel).* 2021;**21**(14):4838. doi: 10.3390/s21144838. PubMed PMID: 34300578. PubMed PMCID: PMC8309734.
 58. Sankaran R, Kumar A, Parasuram H. Role of Artificial Intelligence and Machine Learning in the prediction of the pain: A scoping systematic review. *Proc Inst Mech Eng H.* 2022;**236**(10):1478-91. doi: 10.1177/09544119221122012. PubMed PMID: 36148916.
 59. Panaggio MJ, Abrams DM, Yang F, Banerjee T, Shah NR. Can subjective pain be inferred from objective physiological data? Evidence from patients with sickle cell disease. *PLoS Comput Biol.* 2021;**17**(3):e1008542. doi: 10.1371/journal.pcbi.1008542. PubMed PMID: 33705373. PubMed PMCID: PMC7951914.
 60. Barnes R, Zvarikova K. Artificial intelligence-enabled wearable medical devices, clinical and diagnostic decision support systems, and Internet of Things-based healthcare applications in COVID-19 prevention, screening, and treatment. *American Journal of Medical Research.* 2021;**8**(2):9-22.
 61. Barreveld AM, Rosen Klement ML, Cheung S, Axelsson U, Basem JI, Reddy AS, et al. An artificial intelligence-powered, patient-centric digital tool for self-management of chronic pain: a prospective, multicenter clinical trial. *Pain Med.* 2023;**24**(9):1100-10. doi: 10.1093/pm/pnad049. PubMed PMID: 37104747.
 62. Crawford MR, Luik AI, Espie CA, Taylor HL, Burgess HJ, Jones AL, et al. Digital cognitive behavioral therapy for insomnia in women with chronic migraines. *Headache.* 2020;**60**(5):902-15. doi: 10.1111/head.13777. PubMed PMID: 32112436.
 63. Oh J, Jang S, Kim H, Kim JJ. Efficacy of mobile app-based interactive cognitive behavioral therapy using a chatbot for panic disorder. *Int J Med Inform.* 2020;**140**:104171. doi: 10.1016/j.ijmedinf.2020.104171. PubMed PMID: 32446158.
 64. Piette JD, Newman S, Krein SL, Marinec N, Chen J, Williams DA, et al. Patient-centered pain care using artificial intelligence and mobile health tools: A randomized comparative effectiveness trial. *JAMA Intern Med.* 2022;**182**(9):975-83. doi: 10.1001/jamainternmed.2022.3178. PubMed PMID: 35939288. PubMed PMCID: PMC9361183.
 65. Cascella M, Coluccia S, Monaco F, Schiavo D, Nocerino D, Grizzuti M, et al. Different machine learning approaches for implementing telehealth-based cancer pain management strategies. *J Clin Med.* 2022;**11**(18):5484. doi: 10.3390/jcm11185484. PubMed PMID: 36143132. PubMed PMCID: PMC9502863.
 66. Goudman L, Jansen J, Billot M, Vets N, De Smedt A, Roulaud M, et al. Virtual reality applications in chronic pain management: Systematic review and meta-analysis. *JMIR Serious Games.* 2022;**10**(2):e34402. doi: 10.2196/34402. PubMed PMID: 35536641. PubMed PMCID: PMC9131143.
 67. Shaygan M, Jaber A. The effect of a smartphone-based pain management application on pain intensity and quality of life in adolescents with chronic pain. *Sci Rep.* 2021;**11**(1):6588. doi: 10.1038/s41598-021-86156-8. PubMed PMID: 33758322. PubMed PMCID: PMC7988051.
 68. Seneviratne MG, Li RC, Schreier M, Lopez-Martinez D, Patel BS, Yakubovich A, et al. User-centred design for machine learning in health care: a case study from care management. *BMJ Health Care Inform.* 2022;**29**(1):e100656. doi: 10.1136/bmjhci-2022-100656. PubMed PMID: 36220304. PubMed PMCID: PMC9557254.
 69. Ounajim A, Billot M, Goudman L, Louis P-Y, Slaoui Y, Roulaud M, et al. Machine learning algorithms provide greater prediction of response to SCS than lead screening trial: a predictive AI-based multicenter study. *J Clin Med.* 2021;**10**(20):4764. doi: 10.3390/jcm10204764. PubMed PMID: 34682887. PubMed PMCID: PMC8538165.
 70. Santana AN, De Santana CN, Montoya P. Chronic pain diagnosis using machine learning, questionnaires, and QST: A sensitivity experiment. *Diagnostics (Basel).* 2020;**10**(11):958. doi: 10.3390/diagnostics10110958. PubMed PMID: 33212774. PubMed PMCID: PMC7697204.
 71. Tighe PJ, Harle CA, Hurley RW, Aytug H, Boezaart AP, Fillingim RB. Teaching a machine to feel postoperative pain: combining high-dimensional clinical data with machine learning algorithms to forecast acute postoperative pain. *Pain Med.* 2015;**16**(7):1386-401. doi: 10.1111/pme.12713. PubMed PMID: 26031220. PubMed PMCID: PMC4504764.
 72. Oktay AB, Albayrak NB, Akgul YS. Computer aided diagnosis of degenerative intervertebral disc diseases from lumbar MR images. *Comput Med Imaging Graph.* 2014;**38**(7):613-9. doi: 10.1016/j.

- compmedimag.2014.04.006.
73. Liu L, Zhu M-m, Cai L-l, Zhang X. Predictive models for knee pain in middle-aged and elderly individuals based on machine learning methods. *Comput Math Methods Med.* 2022;**2022**:5005195. doi: 10.1155/2022/5005195. PubMed PMID: 36199766. PubMed PMCID: PMC9529423.
 74. Wolfe F, Clauw DJ, Fitzcharles MA, Goldenberg DL, Katz RS, Mease P, et al. The American College of Rheumatology preliminary diagnostic criteria for fibromyalgia and measurement of symptom severity. *Arthritis Care Res (Hoboken).* 2010;**62**(5):600-10. doi: 10.1002/acr.20140. PubMed PMID: 20461783.
 75. Chattopadhyay S, Davis RM, Menezes DD, Singh G, Acharya RU, Tamura T. Application of Bayesian classifier for the diagnosis of dental pain. *J Med Syst.* 2012;**36**(3):1425-39. doi: 10.1007/s10916-010-9604-y. PubMed PMID: 20945154.
 76. Lee J, Mawla I, Kim J, Loggia ML, Ortiz A, Jung C, et al. Machine learning-based prediction of clinical pain using multimodal neuroimaging and autonomic metrics. *Pain.* 2019;**160**(3):550. doi: 10.1097/j.pain.0000000000001417. PubMed PMID: 30540621. PubMed PMCID: PMC6377310.
 77. Tagliaferri SD, Wilkin T, Angelova M, Fitzgibbon BM, Owen PJ, Miller CT, et al. Chronic back pain sub-grouped via psychosocial, brain and physical factors using machine learning. *Sci Rep.* 2022;**12**(1):15194. doi: 10.1038/s41598-022-19542-5. PubMed PMID: 36071092. PubMed PMCID: PMC9452567.
 78. Reis FJ, Bittencourt JV, Calestini L, de Sá Ferreira A, Meziat-Filho N, Nogueira LC. Exploratory analysis of 5 supervised machine learning models for predicting the efficacy of the endogenous pain inhibitory pathway in patients with musculoskeletal pain. *Musculoskelet Sci Pract.* 2023;**66**:102788. doi: 10.1016/j.msksp.2023.102788. PubMed PMID: 37315499.
 79. Bishop JB, Szpalski M, Ananthraman SK, McIntyre DR, Pope MH. Classification of low back pain from dynamic motion characteristics using an artificial neural network. *Spine.* 1997;**22**(24):2991-8. doi: 10.1097/00007632-199712150-00024. PubMed PMID: 9431637.
 80. Sun C, Li M, Lan L, Pei L, Zhang Y, Tan G, et al. Prediction models for chronic postsurgical pain in patients with breast cancer based on machine learning approaches. *Front Oncol.* 2023;**13**:1096468. doi: 10.3389/fonc.2023.1096468. PubMed PMID: 36923433. PubMed PMCID: PMC10009151.
 81. Ichesco E, Peltier SJ, Mawla I, Harper DE, Pauer L, Harte SE, et al. Prediction of differential pharmacologic response in chronic pain using functional neuroimaging biomarkers and a support vector machine algorithm: an exploratory study. *Arthritis Rheumatol.* 2021;**73**(11):2127-37. doi: 10.1002/art.41781. PubMed PMID: 33982890. PubMed PMCID: PMC8597096.
 82. Fritts M, Cabrera F. AI recruitment algorithms and the dehumanization problem. *Ethics Inf Technol.* 2021;**23**:791-801. doi: 10.1007/s10676-021-09615-w.
 83. Safdar NM, Banja JD, Meltzer CC. Ethical considerations in artificial intelligence. *Eur J Radiol.* 2020;**122**:108768. doi: 10.1016/j.ejrad.2019.108768. PubMed PMID: 31786504.
 84. Hazarika I. Artificial intelligence: opportunities and implications for the health workforce. *Int Health.* 2020;**12**(4):241-5. doi: 10.1093/inthealth/ihaa007. PubMed PMID: 32300794. PubMed PMCID: PMC7322190.
 85. Naing SHH, Isaramalai S-A, Sukmag P. Policy literacy, barriers, and gender impact on accessibility to healthcare services under compulsory migrant health insurance among Myanmar migrant workers in Thailand. *J Environ Public Health.* 2020;**2020**:8165492. doi: 10.1155/2020/8165492. PubMed PMID: 33456477. PubMed PMCID: PMC7787790.
 86. Mirbabaie M, Stieglitz S, Frick NR. Artificial intelligence in disease diagnostics: A critical review and classification on the current state of research guiding future direction. *Health Technol.* 2021;**11**(4):693-731. doi: 10.1007/s12553-021-00555-5.
 87. Kim J, Sin M, Kim W-S, Min Y-S, Kim W, Park D, et al. Remote assessment of post-stroke elbow function using internet-based telerobotics: a proof-of-concept study. *Front Neurol.* 2020;**11**:583101. doi: 10.3389/fneur.2020.583101. PubMed PMID: 33343489. PubMed PMCID: PMC7744560.
 88. Stai B, Heller N, McSweeney S, Rickman J, Blake P, Vasdev R, et al. Public perceptions of artificial intelligence and robotics in medicine. *J Endourol.* 2020;**34**(10):1041-8. doi: 10.1089/end.2020.0137. PubMed PMID: 32611217. PubMed PMCID: PMC7578175.
 89. Shneiderman B. Human-centered artificial intelligence: Three fresh ideas. *AIS Transactions on Human-Computer Interaction.* 2020;**12**(3):109-24. doi: 10.17705/1thci.00131.